INTERPRETATIONS TO ASME B16.10

(These interpretations are not part of ASME B16.10-1992 and are included for information only.)

INTRODUCTION

As a service to persons who use the B16 Standards, the B16 Committee renders interpretations of the requirements upon request. The procedure for requesting an interpretation is described in the following paragraphs.

The interpretations include all replies which have been approved by the B16 Main Committee in response to inquiries concerning interpretation of this Standard.

An interpretation applies either to the Edition and Addenda in effect on the date of issuance of the interpretation or the Edition and Addenda stated in the interpretation. Subsequent revisions to this Standard may supersede the interpretation.

PROCEDURE FOR REQUESTING INTERPRETATIONS

On request, the B16 Committee will render an interpretation of any requirement of this Standard. Interpretations can only be rendered in response to a written request, which should be addressed to:

Secretary, B16 Main Committee
The American Society of Mechanical Engineers
United Engineering Center
345 East 47th Street
New York, NY 10017

The request for interpretation should be clear and unambiguous. It is further recommended that the inquirer submit his request using the following format:

(a) Subject. Cite the applicable paragraph number(s) and/or give a concise description of the subject.

(b) Question. Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. The inquirer may also include any plans or drawings which are necessary to explain the question; however, they should not contain proprietary names or information.

Requests which are not in this format may be rewritten in this format prior to being answered, which may inadvertently change the original intent of the request.

ASME procedures provide for reconsideration of an interpretation when or if additional information is available which the inquirer believes might affect the interpretation. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Copyright ASME International
Provided by IHS under license with ASME
No reproduction or networking permitted without license from IHS
Not for Resale

INTERPRETATIONS NO. 1

Replies to Technical Inquiries Issued From June 19, 1986 Through April 24, 1992

No Interpretations issued.

Copyright ASME International
Provided by IHS under license with ASME
No reproduction or networking permitted without license from IHS
Not for Resale