INTERNATIONAL STANDARD

IEC 60371-3-1

Third edition
2006-06

Specification for insulating materials based on mica –

Part 3: Specifications for individual materials – Sheet 1: Commutator separators and materials



Reference number
IEC 60371-3-1:2006(E)

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS

Not for Resale

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site (www.iec.ch)**

- **Catalogue of IEC publications**

  The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

  This summary of recently issued publications (www.iec.ch/online_news/ justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

  If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

  Email: custserv@iec.ch
  Tel: +41 22 919 02 11
  Fax: +41 22 919 03 00

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS
Not for Resale

INTERNATIONAL STANDARD

IEC 60371-3-1

Third edition
2006-06

Specification for insulating materials based on mica –

Part 3: Specifications for individual materials – Sheet 1: Commutator separators and materials

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch

Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE L

For price, see current catalogue

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS

Not for Resale

CONTENTS

FOREWORD 3
INTRODUCTION 5

1 Scope 6
2 Normative references 6
3 General requirements 6
4 Thickness 7
4.1 Definition of nominal thickness 7
4.2 Measurements and tolerances 7
5 Dimensions, other than thickness 8
5.1 Sheets 8
5.2 Strips 8
5.3 Separators 8
6 Detection of defects and conducting particles in sheets 8
7 Characteristics 8
8 Form 8
9 Marking 8

Table 1 – Thickness tolerances for sheets, strips and separators having a surface ≤10 cm^2 .. 7
Table 2 – Thickness tolerances for separators having a surface area greater than 10 cm^2 7
Table 3– Requirements for materials based on mica splittings 10
Table 4 – Requirements for materials based on mica paper 11

--`,,```,,,,````-`-`,,`,,`,`,,`---
Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATION FOR INSULATING MATERIALS BASED ON MICA –

Part 3: Specifications for individual materials – Sheet 1: Commutator separators and materials

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60371-3-1 has been prepared by IEC technical committee 15: Insulating materials.

This third edition of IEC 60371-3-1 replaces the second edition, published in 1984, and constitutes a technical revision.

The main changes with regard to the previous edition concern the modification of clause numbers to align with clause numbering in the latest edition of IEC 60371-2:2004.

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

The text of this standard is based on the following documents:

FDIS	Report on voting
15/307/FDIS	15/330/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

INTRODUCTION

This part of IEC 60371 forms part of a series which deals with insulating materials built up from mica splittings or mica paper, with or without reinforcement, and with mica paper in its pure state for use in electrical equipment.

IEC 60371 consists of three parts under the main title *Specification for insulating materials based on mica:*

Part 1: Definitions and general requirements

Part 2: Methods of test

Part 3: Specifications for individual materials

This standard contains one of the sheets comprising part 3, as follows:

Sheet 1: Commutator separators and materials

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

SPECIFICATION FOR INSULATING MATERIALS BASED ON MICA –

Part 3: Specifications for individual materials – Sheet 1: Commutator separators and materials

1 Scope

This sheet of IEC 60371-3 applies to several types of rigid materials based on mica splittings or mica paper for commutator separators. These products shall be made from muscovite or phlogopite mica, built up from mica splittings or mica paper by the use of a suitable bonding medium. They are supplied in the following forms:

– sheets in the dimensions in which they are pressed or after trimming;
– strips cut from sheets;
– commutator separators having the shapes and dimensions and in the conditions ordered by the user.

The normal manufacturing thicknesses lie between 0,3 mm and 2 mm.

Materials which conform to this specification meet established levels of performance.

However, the selection of material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application and not based on this specification alone.

Safety warning:

It is the responsibility of the user of the methods contained or referred to in this document to ensure that they are used in a safe manner.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60371-2:2004, *Specification for insulating materials based on mica – Part 2: Methods of test*

3 General requirements

The material as supplied shall be of uniform hardness, free from soft patches and foreign matter.

The bonding medium used shall be agreed between supplier and purchaser.

The materials, when tested in accordance with the methods given in IEC 60371-2, shall comply with the requirements of this publication.

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

4 Thickness

4.1 Definition of nominal thickness

The nominal thickness is that stated when ordering, being the thickness on delivery (before assembly of the commutator).

4.2 Measurements and tolerances

The tolerances with respect to the nominal thickness, in millimetres, are given in Tables 1 and 2.

4.2.1 Sheets, strips and separators having a surface area ≤10 cm^2

Specimen: as in 4.2.1 and 4.2.4 of IEC 60371-2. The thickness shall be measured with the apparatus given in 4.1.3 of that standard (diameter of measuring faces 6 mm to 8 mm, pressure: 7 MPa).

The thickness measurements shall be in accordance with 4.3 of IEC 60371-2.

Table 1 – Thickness tolerances for sheets, strips and separators having a surface ≤10 cm^2

Property	Mica splittings	Mica paper (normal tolerance)	Mica paper (close tolerance)
Tolerance of specimen	±0,03 mm	±0,03 mm	±0,02 mm
Difference between maximum and minimum values of thickness on same specimen	0,06 mm	0,06 mm	0,04 mm

4.2.2 Separators having a surface area greater than 10 cm^2

4.2.2.1 Separators supplied individually

Specimen: as in 4.2.5 a) of IEC 60371-2.

The thickness measurement shall be in accordance with 4.3 of IEC 60371-2.

Table 2 – Thickness tolerances for separators having a surface area greater than 10 cm^2

Property	Mica splittings	Mica paper
Tolerance of specimen	±0,02 mm	±0,015 mm
Difference between maximum and minimum values of thickness on same specimen	0,04 mm	0,03 mm

4.2.2.2 Stack height of separators supplied in packeted stacks

The nominal height of the stack and the number of separators per stack should be stated when material is ordered. The stack height shall be measured in accordance with 4.1.4 of IEC 60371-2. With a pressure of 30 MPa the variation in height from the nominal shall be agreed upon between purchaser and supplier.

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

5 Dimensions, other than thickness

5.1 Sheets

The tolerance on the nominal length and on the nominal width on sheets trimmed to size is ±5 %.

NOTE Where sheets are not trimmed to size, tolerance on mass shall be agreed upon.

5.2 Strips

The tolerance on length is ±5 % and the tolerance on the nominal width is ±0,5 mm.

5.3 Separators

The tolerances on overall dimensions are

±0,3 mm for separators with surface areas not exceeding 10 cm^2,

±0,5 mm for separators with a surface area over 10 cm^2.

6 Detection of defects and conducting particles in sheets

As stated in Clause 19 of IEC 60371-2, until a method of detection of defects has been agreed, the type and number of defects shall be subject to contract.

7 Characteristics

Tables 3 and 4 give the specified values for the characteristics of products based on mica material for commutator separators, in whatever form they are delivered.

8 Form

Products based on mica or mica splittings for commutator separators are generally supplied:

– in sheets approximately 1 000 mm long and 500 mm to 1 000 mm wide;

– in strips approximately 1 000 mm long and not more than 200 mm wide;

– shaped commutator separators having a surface area up to 10 cm^2 are generally supplied in bulk (unless otherwise agreed between manufacturer and user);

– shaped commutator separators having surface area over 10 cm^2 are delivered either in bulk, in non-calibrated packets or in packeted stacks. The number of separators per packet, generally between 20 and 50, is subject to special agreement. Also, according to the type of material, intermediate layers may be used.

9 Marking

Packages shall be marked with the IEC publication reference and type of product (e.g. IEC 60371-3-1 Type P7), the manufacturer's identification, the nominal thickness and dimensions, and the number of pieces and/or weight in each package.

For products supplied in packets, the following additional indications shall be given on each packet:

– non-calibrated packets: the number of separators per packet;

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

– calibrated packets: the number of separators per packet and the total height of the stack (after subtracting the thicknesses of the intermediate layers).

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS Not for Resale

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS
Not for Resale

Table 3 – Requirements for materials based on mica splittings

Type	Description	Nominal thickness	Minimum mica content	Resistance to exudation and displacement	Elastic compression	Plastic compression	Temperature of compression measurement	Electric strength
		mm	%	°C [a]	max. %	max. %	°C	kV/mm [b]
S1 S2	Punching quality, muscovite Punching quality, phlogopite	0,3 to 1,6	92	No requirement	3	5	150	7
S3 S4	Standard quality, muscovite Standard quality, base sheet, phlogopite	0,5 to 2	95	200	3	5	160	7
S5 S6	Special quality A, muscovite Special quality A, phlogopite	0,5 to 2	95	220	2	4	200	7
S15 S16	Special quality B, muscovite Special quality B, phlogopite	0,5 to 2	95	300	2	3	200	7
Relevant clause number of IEC 60371-2: Methods of test		4	7.6	12	13	13	13	16

[a] At the temperature specified, no exudation of binder or displacement of mica shall be detectable with normal corrected vision.

[b] 6 mm electrodes for strips and separators; 25 mm to 75 mm electrodes for sheet materials.

NOTE The density of all materials is in the range of 2,2 g/cm^3 to 2,6 g/cm^3.

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS
Not for Resale

Table 4 – Requirements for materials based on mica paper

Type	Description	Nominal thickness mm	Minimum mica content %	Resistance to exudation and displacement °C [a]	Elastic compression Max. %	Plastic compression Max. %	Temperature of compression measurement °C	Electric strength kV/mm [b]
P7 P8	Punching quality, muscovite Punching quality, phlogopite	0,3 to 1,6	90	No requirement	5	5	150	7
P9 P10	Standard quality, muscovite Standard quality, base sheet, phlogopite	0,5 to 2	90	200	4	5	160	7
P11 P12	Special quality A, muscovite Special quality A, phlogopite	0,5 to 2	90	220	2	4 [c]	200	7
P13 P14	Special quality B, muscovite Special quality B, phlogopite	0,5 to 2	90	300	2	3 [c]	200	7
Relevant clause number of IEC 60371-2 Methods of test		4	7,6	12	13	13	13	16

[a] At the temperature specified, no droplets of binder or displacement of mica should be observed in test in Clause 12.

[b] 6 mm electrodes for strips and separators; 25 mm to 75 mm electrodes for sheet materials.

[c] This may be reduced to 2 % when required by the purchaser.

NOTE The density of all materials is in the range of 2,0 g/cm^3 to 2,4 g/cm^3.

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS
Not for Resale

Standards Survey

The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

International Electrotechnical Commission
3, rue de Varembé
1211 Genève 20
Switzerland

or

Fax to: **IEC**/CSC at +41 22 919 03 00

Thank you for your contribution to the standards-making process.

Nicht frankieren
Ne pas affranchir

Non affrancare
No stamp required

A Prioritaire

RÉPONSE PAYÉE

SUISSE

Customer Service Centre (CSC)
International Electrotechnical Commission
3, rue de Varembé
1211 GENEVA 20
Switzerland

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS

Not for Resale

Q1 Please report on **ONE STANDARD** and **ONE STANDARD ONLY**. Enter the exact number of the standard: *(e.g. 60601-1-1)*

.....

Q2 Please tell us in what capacity(ies) you bought the standard *(tick all that apply).* I am the/a:

purchasing agent ❑
librarian ❑
researcher ❑
design engineer ❑
safety engineer ❑
testing engineer ❑
marketing specialist ❑
other.....

Q3 I work for/in/as a: *(tick all that apply)*

manufacturing ❑
consultant ❑
government ❑
test/certification facility ❑
public utility ❑
education ❑
military ❑
other.....

Q4 This standard will be used for: *(tick all that apply)*

general reference ❑
product research ❑
product design/development ❑
specifications ❑
tenders ❑
quality assessment ❑
certification ❑
technical documentation ❑
thesis ❑
manufacturing ❑
other.....

Q5 This standard meets my needs: *(tick one)*

not at all ❑
nearly ❑
fairly well ❑
exactly ❑

Q6 If you ticked NOT AT ALL in Question 5 the reason is: *(tick all that apply)*

standard is out of date ❑
standard is incomplete ❑
standard is too academic ❑
standard is too superficial ❑
title is misleading ❑
I made the wrong choice ❑
other .....

Q7 Please assess the standard in the following categories, using the numbers:
(1) unacceptable,
(2) below average,
(3) average,
(4) above average,
(5) exceptional,
(6) not applicable

timeliness.....
quality of writing.....
technical contents.....
logic of arrangement of contents .....
tables, charts, graphs, figures.....
other .....

Q8 I read/use the: *(tick one)*

French text only ❑
English text only ❑
both English and French texts ❑

Q9 Please share any comment on any aspect of the IEC that you would like us to know:

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS
Not for Resale

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS
Not for Resale

ISBN 2-8318-8680-5



ICS 29.035.50

Typeset and printed by the IEC Central Office
GENEVA, SWITZERLAND

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Electrotechnical Commission
Provided by IHS under license with IEC
No reproduction or networking permitted without license from IHS

Not for Resale