INTERNATIONAL STANDARD ISO/IEC 15444-1:2004
TECHNICAL CORRIGENDUM 2

Published 2008-04-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — JPEG 2000 image coding system: Core coding system

TECHNICAL CORRIGENDUM 2: Clarification on determination of maximum file size

Technologies de l'information — Système de codage d'images JPEG 2000: Système de codage de noyau

RECTIFICATIF TECHNIQUE 2: Clarification sur la détermination de la taille de fichier maximale

Technical Corrigendum 2 to ISO/IEC 15444-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information* in collaboration with ITU-T. The identical text is published as ITU-T Rec. T.800 (2002)/Cor.2 (08/2007).

ICS 35.040 **Ref. No. ISO/IEC 15444-1:2004/Cor.2:2008(E)**

© ISO/IEC 2008 – All rights reserved

Published in Switzerland

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS

Not for Resale

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

INTERNATIONAL STANDARD
ITU-T RECOMMENDATION

Information technology – JPEG 2000 image coding system: Core coding system

Technical Corrigendum 2
Clarification on determination of maximum file size

Table A.46

a) *Under the application specific restrictions section, replace the following text:*

Max compressed bytes for any image frame (aggregate of all 3 color components)

with:

Max compressed bytes for any image frame (aggregate of all 3 color components including headers)

b) *In the next block, replace the following text:*

Max compressed bytes for any single color component of an image frame

with:

Max compressed bytes for any single color component of an image frame including all relevant tile-part headers

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale