INTERNATIONAL STANDARD

ISO/IEC 7942-4

First edition
1998-09-01

Information technology — Computer graphics and image processing — Graphical Kernel System (GKS) —

Part 4:
Picture part archive

Technologies de l'information — Infographie et traitement d'image — Système graphique Kernel (GKS) —

Partie 4: Archive de partie d'image

Reference number
ISO/IEC 7942-4:1998(E)

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS

Not for Resale

Contents

Foreword iii
Introduction iv
1 Scope 1
2 Normative references 2
3 Definitions 3
4 Concepts 4
4.1 The structure of a GKS-94 picture part archive 4
4.2 Metafile elements 4
4.3 Delimiter elements 4
4.4 Functional capability 4
4.4.1 Introduction 4
4.4.2 PPA-SET 5
4.5 Representation of picture parts in the picture part archive 5
5 Abstract specification of new element 7
5.1 Data type definitions and abbreviations 7
5.2 Delimiter element 7
6 Encodings of the GKS-94 Picture Part Archive 8
6.1 Introduction 8
6.2 Character encoding 8
6.3 Binary encoding 8
6.4 Clear text encoding 8
A Formal grammar 9
B New element list 10
B.1 Introduction 10
B.2 Delimiter elements 10

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 7942-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 24, *Computer graphics and image processing*.

ISO/IEC 7942 consists of the following parts, under the general title *Information technology – Computer graphics and image processing – Graphical Kernel System (GKS):*

Part 1: Functional description

Part 2: NDC metafile

Part 3: Audit trail

Part 4: Picture part archive

Annexes A and B form an integral part of this part of ISO/IEC 7942.

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

Introduction

The GKS-94 picture part archive provides a file format and encodings suitable for the storage and retrieval of GKS-94 picture parts. The file format consists of a set of elements that can be used to describe the contents of picture parts. This part of ISO/IEC 7942 extends the provisions of ISO/IEC 8632:1992/Amd.2: 1995.

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

Information technology – Computer graphics and image processing – Graphical Kernel System (GKS) – Part 4: Picture part archive

1 Scope

This part of ISO/IEC 7942 provides a file format and encodings for the storage and retrieval of GKS-94 picture parts. It is based on Part 2 of ISO/IEC 7942, the NDC metafile, which is itself an extension of the Computer Graphics Metafile, Version 4 defined by ISO/IEC 8632:1992/Amd.2: 1995 (all parts).

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 7942. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/IEC 7942 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/IEC 7942-1:1994, *Information technology - Computer graphics and image processing - Graphical Kernel System (GKS) - Part 1: Functional description*

ISO/IEC 7942-2:1997, *Information technology - Computer graphics and image processing - Graphical Kernel System (GKS) - Part 2: NDC metafile*

ISO/IEC 8632:1992/Amd.2:1995, *Information technology - Computer graphics - Metafile for the storage and transfer of picture description information* (all parts). *AMENDMENT 2: Application Structuring extensions.*

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

3 Definitions

For the purposes of this part of ISO/IEC 7942, the definitions given in ISO/IEC 7942-1 and ISO/IEC 8632-1/Amd.2 apply.

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

4 Concepts

4.1 The structure of a GKS-94 picture part archive

The structure of a GKS-94 picture part archive follows the GKS-94 NDC metafile described in Part 2 of this International Standard. This in turn follows the structure of the Computer Graphics Metafile (CGM) standard (ISO/IEC 8632-1:1992). The structure of a picture part archive is shown in figure 1. PPA is used as an abbreviation for PICTURE PART ARCHIVE and MF for metafile

BEGIN PPA MF	MD	<picture part>...	END MF

Figure 1: General form of a picture part archive

A Computer Graphics Metafile is a collection of elements from the standardized set. The BEGIN PICTURE PART ARCHIVE METAFILE element is followed by the METAFILE DESCRIPTOR (MD). After this the picture parts follow, each logically independent of each other. Finally the Metafile is ended with an END PICTURE PART ARCHIVE element.

Apart from the BEGIN PICTURE PART ARCHIVE METAFILE, END METAFILE and Metafile Descriptor elements, the metafile is partitioned into picture parts. All picture parts are mutually independent. A picture part consists of a BEGIN PICTURE element, a PICTURE DESCRIPTOR (PD) element, a BEGIN PICTURE BODY element, an arbitrary number of control, graphical and attribute elements and finally an END PICTURE element (see figure 2). PIC is used as an abbreviation for PICTURE and BEGIN BODY for BEGIN PICTURE BODY.

BEGIN PIC	PD	BEGIN BODY	<element>...	END PIC

Figure 2: General form of picture parts

4.2 Metafile elements

Picture part archives use the same metafile elements as the GKS-94 NDC metafile except that the delimiter element BEGIN PICTURE PART ARCHIVE METAFILE is used in place of BEGIN NDC METAFILE. The new CGM element is marked by a dagger (†) in the tables in this section.

4.3 Delimiter elements

The picture part archive metafile includes the following new delimiter element:

BEGIN PICTURE PART ARCHIVE METAFILE†

4.4 Functional capability

4.4.1 Introduction

Following the provisions of ISO/IEC 8632-1:1992/Amd.2:1995, the contents of the Computer Graphics Metafile are defined by the METAFILE ELEMENT LIST element. The picture part archive set is designated PPA-SET.

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS Not for Resale

4.4.2 PPA-SET

The PPA-SET includes the elements which can appear in the picture part archive. The elements which are not marked by daggers belong to the NDC-SET defined in Part 2 of this International Standard. The elements included in the picture part archive are:

<BEGIN PICTURE PART ARCHIVE METAFILE>†
<END METAFILE>
<BEGIN PICTURE>
<BEGIN PICTURE BODY>
<END PICTURE>
<METAFILE VERSION>
<VDC TYPE>
<METAFILE ELEMENT LIST>
<MAXIMUM COLOUR INDEX>
<FONT LIST>
<CHARACTER SET LIST>
<CHARACTER CODING ANNOUNCER>
<MAXIMUM VDC EXTENT>
<VDC EXTENT>
<CLIP INDICATOR>
<CLIP RECTANGLE>
<BEGIN APPLICATION STRUCTURE>
<APPLICATION STRUCTURE ATTRIBUTES>
<BEGIN APPLICATION STRUCTURE BODY>
<END APPLICATION STRUCTURE>
<POLYLINE>
<NON-UNIFORM RATIONAL B-SPLINE>
<CONIC SECTION>
<POLYMARKER>
<POLYGON>
<ELLIPTIC DISC>
<TEXT>
<COLOUR SELECTION MODE>
<COLOUR VALUE EXTENT>
<COLOUR PRECISION>
<COLOUR MODEL>
<CELL ARRAY>
<PICK IDENTIFIER>
<NAMESET>
<SCISSOR IDENTIFIER>
<SHIELD INDICATOR>
<GLOBAL TRANSFORMATION>
<LOCAL TRANSFORMATION>
<PATTERN SIZE>
<GDP>
<FILL REFERENCE POINT>
<CHARACTER HEIGHT>
<CHARACTER ORIENTATION>
<TEXT PATH>
<TEXT ALIGNMENT>
<ASPECT SOURCE FLAGS>
<LINE BUNDLE INDEX>
<LINE TYPE>
<LINE WIDTH>
<LINE COLOUR>
<MARKER BUNDLE INDEX>
<MARKER TYPE>
<MARKER SIZE>
<MARKER COLOUR>
<FILL BUNDLE INDEX>
<INTERIOR STYLE>
<HATCH INDEX>
<FILL COLOUR>
<EDGE VISIBILITY>
<EDGE TYPE>
<EDGE WIDTH>
<EDGE COLOUR>
<TEXT BUNDLE INDEX>
<CHARACTER EXPANSION FACTOR>
<CHARACTER SPACING>
<TEXT FONT INDEX>
<TEXT PRECISION>
<TEXT COLOUR>
<PATTERN SIZE>

4.5 Representation of picture parts in the picture part archive

As described in 6.4.4 of Part 1 of this International Standard, GKS-94 picture part consists of a strict sequence of output primitives. Primitives in a picture part have attributes bound to them in the same way as primitives in the NDC picture. A picture part can be archived by invoking the function ARCHIVE PICTURE PART. Each archive consists of a set of picture parts, with names local to the archive. The name to be given to a picture part in the archive is specified as a parameter to the function ARCHIVE PICTURE PART. A picture part can be retrieved from the archive by invoking the function RETRIEVE PICTURE PART FROM ARCHIVE. On retrieval a picture part name is supplied.

Picture parts are represented in the picture part archive in the same way as NDC pictures in the GKS-94 NDC metafile. Each picture part is delimited by BEGIN PICTURE and END PICTURE metafile elements. The

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS Not for Resale

archival name of the picture part is stored in the picture identifier parameter of the BEGIN PICTURE element.

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS Not for Resale

5 Abstract specification of new element

5.1 Data type definitions and abbreviations

Data type definitions are the same as those used in CGM Version 4.

5.2 Delimiter element

BEGIN PICTURE PART ARCHIVE METAFILE

identifier S

This is the first element of a picture part archive. It demarcates the beginning of the Metafile Descriptor. BEGIN PICTURE PART ARCHIVE METAFILE shall occur exactly once in a metafile. The identifier parameter is available for use by metafile generators and interpreters in a manner that is not further standardized.

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS Not for Resale

6 Encodings of the GKS-94 Picture Part Archive

6.1 Introduction

Three encodings are defined for the picture part archive: character, binary and clear text. The picture part archive uses the same metafile elements as the GKS-94 NDC picture metafile with one exception. The element BEGIN PICTURE PART ARCHIVE METAFILE replaces the BEGIN NDC METAFILE element. The representations of this new element are given below. These follow the notational conventions and methods of encoding opcodes described in Part 2 of this International Standard; these conventions and methods are not repeated here.

6.2 Character encoding

The opcode assignment for BEGIN PICTURE PART ARCHIVE METAFILE is given in the table below.

Opcode	7-Bit coding		8-Bit coding	
BEGIN PICTURE PART ARCHIVE METAFILE opcode	3/0	3/8	03/0	03/8

Table 1 - Opcodes for metafile elements

The representation of the element is given below.

BEGIN PICTURE PART ARCHIVE METAFILE

<BEGIN-PICTURE-PART-ARCHIVE-METAFILE-opcode: 3/0 3/8>
<string-fixed: substitution-codes>
<string-fixed: metafile-identifier>

The first parameter, substitution-code, is identical to that of the corresponding parameter of the BEGIN METAFILE element in ISO/IEC 8632-2:1992/Amd.2:1995.

6.3 Binary encoding

The representation of the BEGIN PICTURE PART ARCHIVE METAFILE is given below.

Element Class 0	Element Id	Parameter Type	Parameter List Length	Parameter Range
BEGIN PPA METAFILE	25	SF	BS	SR

Code Description
1 BEGIN PPA METAFILE: has 1 parameter:
P1: (string fixed) metafile name

6.4 Clear text encoding

The representation of the BEGIN PICTURE PART ARCHIVE METAFILE is given below. The derived name of the BEGIN PICTURE PART ARCHIVE METAFILE element is BEGPPAMF.

BEGIN PPA METAFILE ::= BEGPPAMF
<OPTSEP>
<SF:NAME>
<TERM>

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS Not for Resale

Annex A
(normative)

Formal grammar

The formal grammar for the picture part archive is identical to the formal grammar for the GKS-94 NDC metafile (Annex A of Part 2 of this International Standard) except that the first production for the metafile structure (A.3.1):

<ndc metafile> ::= <BEGIN NDC METAFILE>
<metafile identifier>
<metafile descriptor>
<picture>*
<END METAFILE>

is replaced by the production:

<picture part archive metafile> ::= <BEGIN PICTURE PART ARCHIVE METAFILE>
<metafile identifier>
<metafile descriptor>
<picture>*
<END METAFILE>

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

Annex B
(normative)

New element list

B.1 Introduction

The following new CGM element is defined in this part of ISO/IEC 7942.

B.2 Delimiter elements

BEGIN PICTURE PART ARCHIVE METAFILE 7

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

ICS 35.140

Descriptors: data processing, graphic data processing, image processing, computer software, artificial languages, advanced language, GKS, archives.

Price based on 10 pages

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale