INTERNATIONAL STANDARD ISO/IEC 9594-3:2005
TECHNICAL CORRIGENDUM 1

Published 2008-12-15
Published by ISO in 2009

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Open Systems Interconnection — The Directory: Abstract service definition

TECHNICAL CORRIGENDUM 1

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Définition du service abstrait

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/IEC 9594-3:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU-T X.511 (2005)/Cor.1 (05/2008).

ICS 35.100.70 **Ref. No. ISO/IEC 9594-3:2005/Cor.1:2008(E)**

© ISO/IEC 2008 – All rights reserved

Published in Switzerland

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS

Not for Resale

Blank page

--`,,```,,,,````-`-`,,`,,`,`,,`---

© ISO/IEC 2008 – All rights reserved
Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

INTERNATIONAL STANDARD
RECOMMENDATION ITU-T

Information technology – Open Systems Interconnection – The Directory: Abstract service definition

Technical Corrigendum 1

(Covering resolution to defect reports 321, 323 and 324)

1) Correction of the defects reported in defect report 321

a) In 8.1.1 and Annex A, change the data type **directoryBindError** *as shown:*

```
directoryBindError  ERROR  ::=  {
        PARAMETER          OPTIONALLY-PROTECTED {
                SET {
                        versions          [0]     Versions DEFAULT {v1},
                        error                     CHOICE {
                                serviceError      [1]     ServiceProblem,
                                securityError     [2]     SecurityProblem },
                        securityParameters        [30]    SecurityParameters OPTIONAL } } }
```

b) Add the following sentence at the end of the first paragraph of 8.1.4:

If the Bind request was either using strong authentication or SPKM credentials are supplied, then the Bind responder may sign the error parameters.

c) Add a new paragraph to the end of 8.1.4:

The **SecurityParameters** components (see 7.10) shall be included if the error is to be signed.

2) Correction of the defects reported in defect report 323

a) In 7.3.1, change NOTE 2 in Table 1 as follows:

NOTE 2 – Use of ~~encrypted or~~ signing~~ed and encrypted security transformation or any protection~~ of~~n~~ errors ~~or results~~ to Add Entry, Remove Entry, Modify Entry, Modify DN requires version 2 or higher of the protocol.

b) In 8.1.1, 9.2.1, 9.3, 10.1.1, 10.2.1, 11.1.1, 11.2.1 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 12.8 and 12.9 delete in the first paragraph:

, encrypted, or signed and encrypted

, encrypt, or sign and encrypt

c) In 9.1.2 delete in the third paragraph:

, encrypted, or signed and encrypted

d) In 9.1.3, 9.2.2, 9.2.3, 10.1.2, 10.1.3, 10.2.2, 10.2.3, 11.1.2, 11.4.2 and 12.2 delete in the last paragraph:

, encrypted, or signed and encrypted

e) In 9.3 delete in the fourth to the last paragraph:

, encrypted, or signed and encrypted

f) In 11.1.3 and 11.4.3 delete:

, encrypted, or signed and encrypted

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS
Not for Resale

g) *In 11.2.2 delete in the second paragraph:*

, encrypted, or signed and encrypted

h) *In 11.2.3 delete in the first paragraph:*

, encrypted, or signed and encrypted

i) *In 11.3.1 delete in the second paragraph (after the letter-numbered list):*

, encrypted, or signed and encrypted

, encrypt, or sign and encrypt

j) *In 11.3.2 delete in the second paragraph after the letter-numbered list:*

, encrypted, or signed and encrypted

k) *In 11.3.3 delete four times:*

, encrypted, or signed and encrypted

l) *In 11.4.1 delete in the third paragraph:*

, encrypted, or signed and encrypted

, encrypt, or sign and encrypt

m) *In 12.3, 12.4, 12.5, 12.7, 12.8 and 12.9 delete in the second to the last paragraph:*

, encrypted, or signed and encrypted

3) Correction of the defects reported in defect report 324

In 7.3, add the following component to the **CommonArguments** *data type:*

exclusions [22] Exclusions OPTIONAL,

Make the same change to Annex A.

Copyright International Organization for Standardization
Provided by IHS under license with ISO
No reproduction or networking permitted without license from IHS Not for Resale