Tentative Interim Amendment

NFPA 1951

Standard on Protective Ensembles for Technical Rescue Incidents

2007 Edition

Reference: 8.28.4
TIA 07-3
(SC 08-3-4/TIA Log #902)

Pursuant to Section 5 of the NFPA Regulations Governing Committee Projects, the National Fire Protection Association has issued the following Tentative Interim Amendment to NFPA 1951, *Standard on Protective Ensembles for Technical Rescue Incidents*, 2007 edition. The TIA was processed by the Technical Committee on Special Operations Protective Clothing and Equipment, and was issued by the Standards Council on March 4, 2008, with an effective date of March 24, 2008.

A Tentative Interim Amendment is tentative because it has not been processed through the entire standards-making procedures. It is interim because it is effective only between editions of the standard. A TIA automatically becomes a proposal of the proponent for the next edition of the standard; as such, it then is subject to all of the procedures of the standards-making process.

1. Make the following change in Section 8.28, Glove Hand Function Test, as follows:

8.28.4 Apparatus. The apparatus shall conform to the requirements specified in ASTM F 2010, *Standard Test Method for Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test*, with the following modification:
(1) The stainless steel pins shall be with a medium knurled 30 degree (25 teeth per in.) surface.

(Note: For further information on NFPA Codes and Standards, please see www.nfpa.org/codelist)

Copyright © 2008 All Rights Reserved
NATIONAL FIRE PROTECTION ASSOCIATION

Copyright National Fire Protection Association
Provided by IHS under license with NFPA
No reproduction or networking permitted without license from IHS
Not for Resale